

Uniclass		
Pr_35_90_43 / 86 / 20 / 15		
Pr_25_71_14_62		
Pr_25_30_36 / 96 / 03 / 63 / 84		
CI/SfB		
	(42)	X

WALL PROTECTION SYSTEMS

WALL, CORNER AND DOOR PROTECTION



GRADUS

Colour Availability Chart

	Colour	Page	SureProtect Cladding			Handrails, Dual Rail & Combination Rail										Wall Guards & Strips		Corner Guards		BHP	
			SureProtect Pure	SureProtect Endure Kickplates & Rubrails	SureProtect Design	Handrail SHR40P	Handrail SHR40W	Handrail SHR40S	Handrail SSHR42	Handrail THR450	Dual Rail D200P	Dual Rail D200T	Dual Rail D200W	Dual Rail D200S	Combination Rail CHR110, CHR160	WGS200, WGA100	WGS125 WST150, WST200	CGH5090, CGH7590 & CGH75135	CGS2590, CGS5090 & CGS7590	Adjustable-angle	Bed Head Protector BHPA100, BHPA125
			50	46	54	82	84	86	90	88	92	94	95	96	98, 100	64, 68	66, 70	104	106	108	76, 78
PVC-u Profiles & SureProtect Endure	038 POLAR			•														•	•		
	001 CHALK			•		•					•	•	•	•	•	•	•	•	•	•	•
	031 ALUM			•														•	•		•
	032 FLINT			•		•					•	•	•	•	•	•	•	•	•		•
	004 GRANITE			•		•					•	•	•	•	•	•	•	•	•		•
	011 PEBBLE			•		•					•	•	•	•	•	•	•	•	•		•
	002 GRAVEL			•		•					•	•	•	•	•	•	•	•	•		•
	035 HESSIAN			•		•					•	•	•	•	•	•	•	•	•		•
	003 CLAY			•		•					•	•	•	•	•	•	•	•	•	•	•
	014 CINNAMON			•		•					•	•	•	•	•	•	•	•	•		•
	009 SIENNA			•		•					•	•	•	•	•	•	•	•	•		•
	010 BARK			•		•					•	•	•	•	•	•	•	•	•		•
	005 SHALE			•		•					•	•	•	•	•	•	•	•	•	•	•
	006 IVORY			•		•					•	•	•	•	•	•	•	•	•	•	•
	007 WICKER			•		•					•	•	•	•	•	•	•	•	•		•
	008 SAND			•		•					•	•	•	•	•	•	•	•	•		•
	013 GREIGE			•		•					•	•	•	•	•	•	•	•	•		•
	033 SLATE			•		•					•	•	•	•	•	•	•	•	•		•
	036 BLACK			•		•										•	•	•	•		•
	021 STRAW			•		•					•	•	•	•	•	•	•	•	•		•
	043 MIMOSA			•		•					•	•	•	•	•	•	•	•	•		•
	041 TERRACOTTA			•		•					•	•	•	•	•	•	•	•	•		•
	028 POPPY			•		•					•	•	•	•	•	•	•	•	•		•
	034 ROSE QUARTZ			•		•									•	•	•	•	•		•
	040 LYCHEE			•		•					•	•	•	•	•	•	•	•	•		•
	030 IRIS			•		•					•	•	•	•	•	•	•	•	•		•
	042 MULBERRY			•		•					•	•	•	•	•	•	•	•	•		•
	016 GLACIER			•		•					•	•	•	•	•	•	•	•	•		•
	018 AZURE			•		•					•	•	•	•	•	•	•	•	•		•
	048 LAGOON			•		•					•	•	•	•	•	•	•	•	•		•
	020 DENIM			•		•					•	•	•	•	•	•	•	•	•		•
	024 BAMBOO			•		•					•	•	•	•	•	•	•	•	•		•
	044 SAGE			•		•					•	•	•	•	•	•	•	•	•		•
	045 FERN			•		•					•	•	•	•	•	•	•	•	•		•
	046 INDIGO			•		•					•	•	•	•	•	•	•	•	•		•
SureProtect Pure	WHITE		•																		
	PLATINUM		•																		
	CHAMPAGNE		•																		
	PEPPERMINT		•																		
	ICEBERG		•																		
	DUCK EGG		•																		
	PORCELAIN		•																		
	PUTTY		•																		
	COTTON		•																		
	AQUA		•																		
	PEARL		•																		
	BLUEBERRY		•																		
	IRON		•																		
	SORBET		•																		
	OLIVE		•																		
	SAGE		•																		
	ONYX		•																		
	FUCHSIA		•																		
	SPICE		•																		
	CHILLI		•																		
	PLUM		•																		
SureProtect Design	060 MAPLE				•		•						•								
	071 CHERRY				•		•						•								
	062 LIGHT OAK				•		•						•								
	065 STRIPPED PINE				•		•						•								
	070 WALNUT				•		•						•								
	068 SMOKY CEDAR				•																
	069 BROWN CEDAR				•																
Timber	401 ASH									•			•								
	402 OAK									•			•								
	403 MAPLE									•			•								
	406 SAPELE									•			•								
	SILVER ANODISED							•													
	STAINLESS STEEL								•												

• BHPA100 ONLY

NEW

New Colour Palette

- > 8 brand new colours in SureProtect Endure, PVC-u wall guards, handrails and corner guards
- > 2 brand new SureProtect Design wood effects
- > Our PVC-u wall protection range is not just visually stunning but also built to withstand daily wear and tear, ensuring long-lasting protection for your walls
- > All Gradus Wall Protection colours are measured to provide Light Reflectance Values, so you can find the perfect shade to complement your project and ensure a suitable visual contrast is achieved
- > See pages 42 and 55 for more information



043 Mimosa



041 Terracotta



040 Lychee



042 Mulberry



048 Lagoon




046 Indigo




044 Sage



045 Fern



071 Cherry




070 Walnut

NEW

PVC-u Continuous Retainers

- > Available in Wall Guards WGS200P and (WGS125P coming later this year) and High Impact Corner Guards
- > Suitable for gently undulating substrates due to their added flexibility
- > Made from up to 100% recycled waste material produced in the Gradus manufacturing plant
- > See pages 64, 66 and 104 for more information

WGS200P



WGS125P

CGH5090P


CGH7590P

Colour Availability


PVC-u Profiles & SureProtect Endure®

Standard Colours


35 standard colours provide a colour choice to suit virtually any design scheme, from healthcare and education environments through to leisure and commercial office applications. Refer to the colour chart on page 41 for details of specific product availability.



✓ 038 Polar
LRV 80.14 | NCS S 1002-B



✓ 001 Chalk
LRV 87.51 | NCS S 0500-N



031 Alum
LRV 71.91 | NCS S 1000-N



032 Flint
LRV 43.70 | NCS S 3000-N



004 Granite
LRV 24.07 | NCS S 5502-B



011 Pebble
LRV 59.08 | NCS S 2005-R80B




002 Gravel
LRV 53.71 | NCS S 2502-Y



035 Hessian
LRV 35.79 | NCS S 4010-Y30R



✓ 003 Clay
LRV 33.86 | NCS S 4000-N




014 Cinnamon
LRV 42.30 | NCS S 3005-Y80R




009 Sienna
LRV 26.67 | NCS S 4010-Y70R / 4005-Y70R



010 Bark
LRV 16.61 | NCS S 6005-Y80R



✓ 006 Ivory
LRV 81.98 | NCS S 0505-Y30R




007 Wicker
LRV 70.36 | NCS S 0510-Y30R



008 Sand
LRV 52.26 | NCS S 2010-Y30R




013 Greige
LRV 38.97 | NCS S 3005-Y20R



✓ 005 Shale
LRV 17.88 | NCS S 6500-N / 6502-Y



033 Slate
LRV 7.03 | NCS S 8005-R80B



036 Black
LRV 5.08 | NCS S 8502-B




Popular colours
stocked in depth



Textured finish and through coloured to
conceal the effects of impact and abrasion



Visit: www.gradus.com
for full details



NEW

043 Mimosa

LRV 68.48 | NCS S 0540-G90Y



021 Straw

LRV 75.21 | NCS S 0530-Y / 0530-Y10R



NEW

041 Terracotta

LRV 27.04 | NCS S 2060-Y50R




028 Poppy

LRV 16.31 | NCS S 1080-R



034 Rose Quartz

LRV 52.08 | NCS S 1515-R20B



030 Iris

LRV 18.61 | NCS S 4040-R50B



NEW

040 Lychee

LRV 44.83 | NCS S 2030-Y60R



NEW

042 Mulberry

LRV 13.38 | NCS S 4040-R10B



016 Glacier

LRV 59.27 | NCS S 1020-B



018 Azure

LRV 45.14 | NCS S 1040-R90B



NEW


046 Indigo

LRV 10.91 | NCS S 3060-R80B



020 Denim

LRV 16.91 | NCS S 4040-R90B



NEW


048 Lagoon

LRV 48.61 | NCS S 1040-B20G



024 Bamboo

LRV 54.74 | NCS S 1040-G50Y



NEW

044 Sage

LRV 39.35 | NCS S 2030-G30Y



NEW

045 Fern

LRV 18.23 | NCS S 5020-G30Y

Colour Matching

Important note: Due to the limitations of the printing process, colours within this catalogue should not be relied upon for colour matching. An accurate colour match can only be achieved by requesting the relevant product sample(s).

Light Reflectance Values

All Gradus wall protection colours have been measured for Light Reflectance and the Value (LRV) is detailed below each colour (values have been measured using the CIE Y value in accordance with BS 8493:2008+A1:2010). LRVs allow tonal contrast to be achieved between different surfaces to highlight features (e.g. handrails or door furniture), identify hazards or provide wayfinding.

NCS Colour References


Gradus is a member of NCS (Natural Colour System) and utilises the NCS reference codes shown above each colour. For further information visit www.ncscolour.com ©Property of and used under licence from the Scandinavian Colour Institute AB, SCI-Sweden se, Stockholm 2004.

Colour Availability


Satin Finish




White
LRV 90.87 | NCS S 0300-N



Platinum
LRV 58.81 | NCS S 2002-Y




Champagne
LRV 72.74 | NCS S 1005-Y20R



Peppermint
LRV 75.20 | NCS S 0515-G




Iceberg
LRV 65.96 | NCS S 1020-B




Duckegg
LRV 80.32 | NCS S 0804-B50G



Putty
LRV 41.58 | NCS S 3005-Y50R



Porcelain
LRV 73.28 | NCS S 0804-R70B




Cotton
LRV 82.91 | NCS S 0502-Y50R



Aqua
LRV 63.26 | NCS S 1015-B20G

Gloss Finish



Pearl
LRV 89.28 | NCS S 0500-N



Sorbet
LRV 64.08 | NCS S 0570-G60Y



Sage
LRV 41.05 | NCS S 3010-G40Y



Olive
LRV 47.52 | NCS S 2030-G60Y



Spice
LRV 19.76 | NCS S 2075-Y60R



Fuchsia
LRV 21.51 | NCS S 1070-R20B



Chilli
LRV 11.83 | NCS S 2070-R




Plum
LRV 9.26 | NCS S 4050-R30B



Blueberry
LRV 34.37 | NCS S 3030-R90B



Iron
LRV 14.63 | NCS S 7000-N



Onyx
LRV 4.96 | NCS S 9000-N

Smooth finish and through coloured to conceal the effects of impact and abrasion

Visit: www.gradus.com for full details

Colour Matching

Important note: Due to the limitations of the printing process, colours within this catalogue should not be relied upon for colour matching. An accurate colour match can only be achieved by requesting the relevant product sample(s).

Light Reflectance Values

All Gradus wall protection colours have been measured for Light Reflectance and the Value (LRV) is detailed below each colour (values have been measured using the CIE Y value in accordance with BS 8493:2008+A1:2010). LRVs allow tonal contrast to be achieved between different surfaces to highlight features (e.g. handrails or door furniture), identify hazards or provide wayfinding.

NCS Colour References

Gradus is a member of NCS (Natural Colour System) and utilises the NCS reference codes shown above each colour. For further information visit www.ncscolour.com ©Property of and used under licence from the Scandinavian Colour Institute AB, SCI-Sweden se, Stockholm 2004.

Colour Availability

SureProtect Design Finishes

These contemporary finishes help to create modern interiors and are an ideal choice in environments such as hospitality, leisure and commercial office.

Woods - SPD20W



060 Maple
LRV 50.0 | NCS S 2020-Y30R



062 Light Oak
LRV 35.4 | NCS S 3020-Y30R



071 Cherry
LRV 26.39 | NCS S 4020-Y30R



070 Walnut
LRV 12.06 | NCS S 6010-Y90R



065 Stripped Pine
LRV 37.0 | NCS S 4005-Y20R



069 Brown Cedar
LRV 18.4 | NCS S 6005-Y50R
* Not available for handrails



068 Smoky Cedar
LRV 10.5 | NCS S 7502-B
* Not available for handrails



The Dementia Services Development Centre at the University of Stirling have undertaken a review of the Gradus Wall Protection products and have rated its design in relation to dementia design principles and its usability within a dementia-inclusive environment.

SureProtect Design wood effects are rated as Class 1a/b*. Finishes within these ratings can be used throughout dementia applications. We recommend a minimum contrast of 30 points LRV for critical surfaces.

* except for 071 Cherry which is rated 2.

For further information contact Gradus Technical Department 01625 428922

Colour Matching

Important note: Due to the limitations of the printing process, colours within this catalogue should not be relied upon for colour matching. An accurate colour match can only be achieved by requesting the relevant product sample(s).

Light Reflectance Values

All Gradus wall protection colours have been measured for Light Reflectance and the Value (LRV) is detailed below each colour (values have been measured using the CIE Y value in accordance with BS 8493:2008+A1:2010). LRVs allow tonal contrast to be achieved between different surfaces to highlight features (e.g. handrails or door furniture), identify hazards or provide wayfinding.

NCS Colour References

Gradus is a member of NCS (Natural Colour System) and utilises the NCS reference codes shown above each colour. For further information visit www.ncscolour.com ©Property of and used under licence from the Scandinavian Colour Institute AB, SCI-Sweden se, Stockholm 2004.