

LUXURY VINYL SHEET

FLOORING COLLECTIONS

Architex

Secura

Designatex



POLYFLOR™
COVERING THE WORLD



LUXURY VINYL SHEET FLOORING COLLECTIONS

2 | 3 | 4 METRE WIDTHS

Feel inspired to transform your home into a space you love with Polyflor's three Luxury Vinyl Sheet collections.

Each collection can be loose laid, requiring no adhesive, therefore reducing installation time and minimising disruption in your home. Perfect for use in any room, these designs are durable, practical and comfortable underfoot.



ARCHITEX

Textile backed luxury vinyl sheet flooring

Architex is a premium collection of wood, stone and abstract flooring spanning a versatile palette of traditional and contemporary designs.

Each shade has a superior protective wear layer and a luxury textile backing.



Secura

luxury vinyl sheet flooring

Secura is a collection of wood, stone and abstract effect designs developed with authentic textures to replicate natural materials.

Each shade has a soft backing providing comfort underfoot.



Designatex

Textile backed luxury vinyl sheet flooring

Designatex is a collection of wood and stone effect designs available in an array of laying patterns.

Each shade has a warm and comforting luxury textile backing.





FLOORS FOR EVERYDAY LIVING

Luxury vinyl sheet is comfortable, safe and attractive. Ideal for busy lifestyles, it will stand the test of time.




UltraComfort™
SOFT UNDERFOOT

The warm and welcoming luxury backing on all three ranges provides comfort underfoot, whilst also reducing impact sound between rooms.



SureTread™
R10 SLIP RESISTANCE

Every shade features a hard-wearing R10 slip resistance, the ideal protection from little mishaps in the home, keeping you and your family safe.




CleanShield™
EASY CLEAN SURFACE

The unique polyurethane reinforcement (PUR) protects the surface from stains and scuff marks, reducing cleaning time and costs.

feel inspired by...

WOOD



Designatex

Chalk White Oak 2141 **page 71**



Secura

White Limed Ash 2160 **page 40**



Secura

Coastal Oak 2159 **page 44**



Secura

Natural Oak 2126 **page 45**



Architex

Rose Hill Oak 3401 **page 22**



Architex

Bowery Oak 3405 **page 23**




Secura

Sterling Oak 2161 **page 41**



Designatex

Honey Limed Ash 2143 **page 65**




Architex

Dorchester Oak 3406 **page 18**



Secura

Honey Blushed Oak 2162 **page 47**



Designatex

Sicilian Oak 2147 **page 69**



Designatex

Cornish Oak 2146 **page 67**



Designatex

California Oak 2145 **page 66**




Secura

Blond Oak 2127 **page 43**



Secura

Wheatfield Oak 2163 **page 46**



Architex

Alden Oak 3402 **page 21**



Secura

Country Oak 2130 **page 49**



Architex

Lake House Oak 3403 **page 19**


feel inspired by...

WOOD




Architex

Marlborough Oak 3404 page 20




Designatex

Platinum Oak 2142 page 64




Designatex

Nero Oak 2144 page 70




Designatex

Laurel Oak Parquet 2136 page 58



Designatex

English Oak Parquet 2137 page 60



Designatex

Rich Oak Parquet 2138 page 61


DESIGN FLOORS >>

Choose from an array of laying patterns that will add a unique element to your interior scheme. From simple parquets to sophisticated weaves it's easy to make a statement.



Secura

Oakland Parquet 2167 page 37




Secura

Grey Oak Parquet 2168 page 36




Designatex

Columned Ash 2140 page 68



Secura

Antique Herringbone 2129 page 38




Designatex

Smokehouse Herringbone 2139 page 62



Architex

Oxford Basket Weave 3407 page 16



Architex

Warwick Basket Weave 3408 page 17



Secura

Golden Oak 2128 page 42



Secura

Ebony 2135 page 48



Architex

Tan Bowman Oak 3409 page 25



Architex

Grey Bowman Oak 3411 page 24

feel inspired by...


STONE



Barca Limestone 2150

Designatex


page 75



Manhattan Limestone 2151

Designatex

page 74



Cottage Paving 2148

Designatex

page 72



Limestone 2111

Secura

page 50



Tuscan Paving 2149

Designatex

page 73



Quarried Slate 2152

Designatex

page 77



Plymouth Slate 2165

Secura

page 52



Black Slate 2114

Secura

page 53



Noir Slate 2153

Designatex

page 76

feel inspired by...

CONCRETE

ABSTRACT



Portland Cement 3416

Architex
page 26



Powdered Concrete 2164

Secura
page 55




Polished Concrete 2118

Secura
page 54




Hudson Cement 3417

Architex
page 27




Vittoria Terrazzo 3418

Architex
page 32



Fresco Terrazzo 3419

Architex
page 33




Fresh Persian Loom 3412

Architex
page 29




Rich Persian Loom 3413

Architex
page 28



Parlour Tile 3414

Architex
page 30



Heritage Tile 3415

Architex
page 31



ARCHITEX

Textile backed luxury vinyl sheet flooring

Feel at home with Architex.

Architex is a premium, loose lay collection of wood, stone and abstract effect luxury vinyl sheet flooring. The stunning range spans a palette of authentic classics to contemporary styles.

With a design to suit any interior scheme, Architex provides a practical and durable backdrop for busy, modern lifestyles. The combination of a superior protective wear layer plus a warm and comfortable luxury textile backing, makes this collection the ideal choice for any home.



Oxford Basket Weave

2 | 3 | 4 | METRE WIDTHS

Basket Weave

An intricate design that adds stunning detail



Oxford Basket Weave



Oxford Basket Weave 3407

Plank Size:
56 x 297mm & 120 x 120mm



Warwick Basket Weave 3408

Plank Size:
56 x 297mm & 120 x 120mm



Warwick Basket Weave

Weathered

Rustic timber gradually aged by the elements



Dorchester Oak



Dorchester Oak 3406

Plank Size: 200 x 1000mm



Lake House Oak 3403

Plank Size: 200 x 1500mm



Lake House Oak



Rich

Comforting deep tones with linear wood grains



Alden Oak 3402

Plank Size: 200 x 1500mm



Marlborough Oak 3404

Plank Size: 200 x 1500mm



Alden Oak

Neutral

Modest natural timber creating a timeless finish



Rose Hill Oak



Rose Hill Oak 3401

Plank Size: 200 x 1500mm



Bowery Oak 3405

Plank Size: 200 x 1000mm



Bowery Oak

Chevron

Edgy geometric arrows are the ultimate statement look



Grey Bowman Oak



Grey Bowman Oak 3411

Plank Size: 100 x 333mm



Tan Bowman Oak 3409

Plank Size: 100 x 333mm



Tan Bowman Oak



Portland Cement

Cement

A seamless neutral backdrop for a cohesive space



Hudson Cement 3417



Portland Cement 3416



Hudson Cement

Textile

A subtle stencil woven through fabric tiles



Rich Persian Loom



Rich Persian Loom 3413

Tile Size: 330 x 330mm



Fresh Persian Loom 3412

Tile Size: 330 x 330mm



Fresh Persian Loom

Victorian


Traditional and sophisticated statement tiles



Parlour Tile



Parlour Tile 3414



Heritage Tile 3415



Heritage Tile

Terrazzo


Portraying elegant and simple Italian style



Vittoria Terrazzo



Vittoria Terrazzo 3418



Fresco Terrazzo 3419



Fresco Terrazzo



White Limed Ash

Secura

luxury vinyl sheet flooring

Welcome home with Secura.

Secura is a loose lay collection of wood, stone and abstract effect luxury vinyl sheet flooring. Developed to enhance your interior with authentic textures and inspiring designs, this beautiful range can be used in every room of your home.

Timeless style, comfort underfoot and an easy maintenance regime, make Secura an ideal choice for busy, modern households.



2 | 3 | 4 | METRE WIDTHS

Secura

Gauge: 3.0mm | Wear Layer: 0.35mm

Large Parquet

A time-honoured classic herringbone design



Grey Oak Parquet



Grey Oak Parquet 2168

Plank Size: 88 x 700mm



Oakland Parquet 2167

Plank Size: 88 x 700mm



Oakland Parquet



Antique Herringbone

Secura

Gauge: 3.0mm | Wear Layer: 0.35mm

Large Parquet

A time-honoured classic herringbone design



Antique Herringbone 2129

Plank Size: 140 x 710mm



Antique Herringbone

Secura

Gauge: 3.0mm | Wear Layer: 0.35mm

Cool

Coastal driftwood lined gently by water



White Limed Ash



White Limed Ash 2160

Plank Size: 166 x 1500mm



Sterling Oak 2161

Plank Size: 200 x 1000mm



Sterling Oak



Blond

Characteristically warm and sun-kissed timber



Blond Oak 2127

Plank Size: 200 x 1500mm



Golden Oak 2128 Plank Size: 62.5 x 500mm & 62.5 x 1000mm



Blond Oak

Secura

Gauge: 3.0mm | Wear Layer: 0.35mm

Neutral

Modest natural timber creating a timeless finish



Coastal Oak



Coastal Oak 2159

Plank Size: 200 x 1500mm



Natural Oak 2126

Plank Size: 200 x 1000mm



Natural Oak

Secura

Gauge: 3.0mm | Wear Layer: 0.35mm

Neutral

Modest natural timber creating a timeless finish



Wheatfield Oak



Wheatfield Oak 2163

Plank Size: 167 x 1500mm



Honey Blushed Oak 2162

Plank Size: 200 x 1500mm



Honey Blushed Oak



Timeless

Statement floors that will stand the test of time



Country Oak 2130

Plank Size: 200 x 1500mm



Ebony 2135

Plank Size: 100 x 1000mm & 150 x 1000mm



Country Oak

Secura

Gauge: 3.0mm | Wear Layer: 0.35mm

Limestone

Subtle tiles with delicate pitting and marbling



Limestone



Limestone 2111

Tile Size: 333 x 500mm



Limestone



Plymouth Slate

Slate

Intense stone characterised by calming water markings



Black Slate 2114

Tile Size: 333 x 500mm



Plymouth Slate 2165

Tile Size: 333 x 500mm



Black Slate

Secura

Gauge: 3.0mm | Wear Layer: 0.35mm

Concrete

Trend-led grey tones for a flowing design scheme



Polished Concrete



Polished Concrete 2118



Powdered Concrete 2164



Powdered Concrete



Designatex

Textile backed luxury vinyl sheet flooring

Feel at home with Designatex.

Designatex is a loose lay collection of wood and stone effect luxury vinyl sheet flooring. Each shade beautifully replicates natural materials, in an array of laying patterns that are designed to enhance your interior.

Every design has a warm and comforting luxury textile backing that brings a welcoming touch to your home. This stunning range has a durable protective wear layer that is ideal for busy modern living.

15
years
Guarantee

English Oak Parquet

2 | 3 | 4 | METRE WIDTHS

Designatex

Gauge: 3.0mm | Wear Layer: 0.3mm

Small Parquet

An elegant design for both modern and classic decors



Laurel Oak Parquet



Laurel Oak Parquet 2136

Plank Size: 76.2 x 228.6mm



Laurel Oak Parquet

Designatex

Gauge: 3.0mm | Wear Layer: 0.3mm

Small Parquet

An elegant design for both modern and classic decors



English Oak Parquet



English Oak Parquet 2137

Plank Size: 76.2 x 228.6mm



Rich Oak Parquet 2138

Plank Size: 76.2 x 228.6mm



Rich Oak Parquet



Smokehouse Herringbone

Designatex

Gauge: 3.0mm | Wear Layer: 0.3mm

Large Parquet

A time-honoured classic herringbone design



Smokehouse Herringbone 2139

Plank Size: 140 x 710mm



Smokehouse Herringbone

Cool

Coastal driftwood limed gently by water



Platinum Oak



Platinum Oak 2142

Plank Size: 166 x 1500mm



Honey Limed Ash 2143

Plank Size: 166 x 1500mm



Honey Limed Ash

Designatex

Gauge: 3.0mm | Wear Layer: 0.3mm

Neutral

Modest natural timber creating a timeless finish



California Oak



California Oak 2145

Plank Size: 166 x 1500mm



Cornish Oak 2146

Plank Size: 166 x 1500mm



Cornish Oak

Designatex

Gauge: 3.0mm | Wear Layer: 0.3mm

Botanical

Intense grains and contrasting tones



Columned Ash



Columned Ash 2140

Plank Size: 40-120 x 500mm



Sicilian Oak 2147

Plank Size: 166 x 1500mm



Sicilian Oak



Monochrome

A classic palette of opposing shades



Chalk White Oak 2141

Plank Size: 200 x 1500mm



Chalk White Oak



Nero Oak 2144

Plank Size: 125 x 1000mm

Paving

An assortment of tiles in an array of widths and lengths



Cottage Paving



Cottage Paving 2148

Tile Size: 100-500 x 100-500mm



Tuscan Paving 2149

Tile Size: 100-500 x 100-500mm



Tuscan Paving



Manhattan Limestone

Limestone

Subtle tiles with delicate pitting and marbling



Barca Limestone 2150

Tile Size: 143 x 500-800mm



Manhattan Limestone 2151

Tile Size: 143 x 500-800mm



Barca Limestone

Slate

Intense stone characterised by calming water markings laid in a natural variation of tile sizes



Noir Slate



Noir Slate 2153

Tile Size: 35-135 x 500-1000mm



Quarried Slate 2152

Tile Size: 35-135 x 500-1000mm



Quarried Slate



DESIGN YOUR
**IDEAL
HOME**

5
Step Guide

1

BE INSPIRED

The first stage of designing an interior is refining your ideas and planning your finished look. You can find further information and resources for all three luxury vinyl sheet ranges on our website polyflor.com.



2

SELECT YOUR FLOOR

Browse our brochure, shadecards and retail presenters at your leisure and make a shortlist of your favourite designs. The collection summaries are available on page 80–85 or you can browse by shade on page 6–13.



Our **room visualiser** is also available to help you picture any design instantly, in every room of your home.

3

ORDER FREE SAMPLES

Free samples of each shade are available to order through our website polyflor.com or you can call the dedicated Polyflor Samples Hotline on **+44 (0)161 767 2551**.



4

DISCUSS YOUR PROJECT

It is always useful to be prepared when visiting your local flooring retailer. Start by providing a rough guide of the room shape and measurements.

Be sure to bring your shortlist of chosen designs, including shade name and number.

5


ENJOY YOUR NEW FLOOR

We want you to enjoy your floor for years, so we have prepared a list of top tips to help you keep your floor looking as good as new, see pages 86–87 for more details.





Oxford Basket Weave 3407 **page 16**
56 x 297mm & 120 x 120mm



Warwick Basket Weave 3408 **page 17**
56 x 297mm & 120 x 120mm



Lake House Oak 3403 **page 19**
200 x 1500mm



Grey Bowman Oak 3411 **page 24**
100 x 333mm



Portland Cement 3416 **page 26**



Hudson Cement 3417 **page 27**



Dorchester Oak 3406 **page 18**
200 x 1000mm



Rose Hill Oak 3401 **page 22**
200 x 1500mm



Bowery Oak 3405 **page 23**
200 x 1000mm



Fresh Persian Loom 3412 **page 29**
330 x 330mm



Rich Persian Loom 3413 **page 28**
330 x 330mm



Parlour Tile 3414 **page 30**



Alden Oak 3402 **page 21**
200 x 1500mm



Marlborough Oak 3404 **page 20**
200 x 1500mm



Tan Bowman Oak 3409 **page 25**
100 x 333mm



Heritage Tile 3415 **page 31**




Vittoria Terrazzo 3418 **page 32**



Fresco Terrazzo 3419 **page 33**



Oakland Parquet 2167 **page 37**
88 x 700mm



Grey Oak Parquet 2168 **page 36**
88 x 700mm



White Limed Ash 2160 **page 40**
166 x 1500mm



Honey Blushed Oak 2162 **page 47**
200 x 1500mm



Country Oak 2130 **page 49**
200 x 1500mm




Antique Herringbone 2129 **page 38**
140 x 710mm



Coastal Oak 2159 **page 44**
200 x 1500mm



Sterling Oak 2161 **page 41**
200 x 1000mm



Blond Oak 2127 **page 43**
200 x 1500mm



Ebony 2135 **page 48**
100 x 1000mm & 150 x 1000mm



Limestone 2111 **page 50**
333 x 500mm



Powdered Concrete 2164 **page 55**



Golden Oak 2128 **page 42**
62.5 x 500mm & 62.5 x 1000mm



Wheatfield Oak 2163 **page 46**
167 x 1500mm



Natural Oak 2126 **page 45**
200 x 1000mm



Polished Concrete 2118 **page 54**



Plymouth Slate 2165 **page 52**
333 x 500mm



Black Slate 2114 **page 53**
333 x 500mm




Chalk White Oak 2141 **page 71**
200 x 1500mm



Honey Limed Ash 2143 **page 65**
166 x 1500mm




California Oak 2145 **page 66**
166 x 1500mm



Smokehouse Herringbone 2139 **page 62**
140 x 710mm



Platinum Oak 2142 **page 64**
166 x 1500mm




Nero Oak 2144 **page 70**
125 x 1000mm



Columned Ash 2140 **page 68**
40-120 x 500mm




Cornish Oak 2146 **page 67**
166 x 1500mm



Sicilian Oak 2147 **page 69**
166 x 1500mm



Cottage Paving 2148 **page 72**
100-500 x 100-500mm




Tuscan Paving 2149 **page 73**
100-500 x 100-500mm




Barca Limestone 2150 **page 75**
143 x 500-800mm



Laurel Oak Parquet 2136 **page 58**
76.2 x 228.6mm



English Oak Parquet 2137 **page 60**
76.2 x 228.6mm



Rich Oak Parquet 2138 **page 61**
76.2 x 228.6mm



Manhattan Limestone 2151 **page 74**
143 x 500-800mm



Quarried Slate 2152 **page 77**
35-135 x 500-1000mm



Noir Slate 2153 **page 76**
35-135 x 500-1000mm

CLEANING & MAINTENANCE



Protecting your floor:

All our luxury vinyl sheet collections have a polyurethane reinforcement (PUR) to protect against everyday wear, however, to minimise the chances of your flooring becoming damaged we do recommend the following floor care guidelines:


- ✓ Use protective cups under heavy furniture to prevent indentation.
- ✓ Fit protective pads to all furniture legs to prevent scratches when moved across the floor.



- ✓ Remove spillages as quickly as possible to reduce risk of staining and causing slip hazards.



- ✓ Install barrier mats at all entrances to pick up grit and moisture (Note, some rubber-backed mats may discolour the floor).




- ✓ Regularly trim pets claws as these can cause fine scratches.

So you can continue to enjoy your Luxury Vinyl Sheet floor covering for years to come, a regular cleaning regime is required to help keep it looking as new. Regular cleaning is more beneficial to the floor covering and more cost effective than occasional heavy cleaning.

Day to day cleaning:

- ✓ Sweep or vacuum your floor to remove any dust and loose dirt.
- ✓ Mop with a neutral cleanser to remove any stubborn marks, rinse with clean water and allow to dry.




Maintaining your floor:

For recommended products for use with luxury vinyl sheet floor coverings visit www.polyflor.com. Ensure all cleaners and detergents are diluted as per the manufacturer's instructions.


We highly recommend you use the Polyflor at Home Floor Care Kit to maintain your luxury vinyl sheet floor covering. You can find out more information and order your Floor Care Kit from your retailer.

Floor Care Kit Contents:

- | | |
|------------------------|-------------------------|
| Daily Cleanse 750ml | 1 x Coarse Stripper Pad |
| Prepare 750ml | Soft Polishing Pad |
| Polish & Protect 750ml | Floor Protector Pads |
| 1 x Blue Applicator | Floor Care Guide |





TECHNICAL

		Architex
Gauge	ISO 24346 (EN 428)	3.5mm
Wear Layer	ISO 24340 (EN 429)	0.35mm
Installation		Can be loose laid in areas up to 20m ²
Roll Size	ISO 24341 (EN 426)	4m x 20-25m 3m x 20-25m 2m x 20-25m
Total Weight	ISO 23997 (EN 430)	2150g/m ²
General Performance	ISO 26986 (EN 653)	Conforms
Use Area	ISO 10874 (EN 685)	
Acoustic Impact Sound Reduction	ISO 10140-3	≥19dB
Resistance to Chemicals	ISO 26987 (EN 423)	Good
Reaction to Fire	EN 13501-1	Class Bfl-S1
Abrasion Resistance	EN 653	Group T
Slip Resistance*	EN 13893 DIN 51130	Class DS (dry condition) R10
Residual Indentation	ISO 24343-1 (EN 433)	≤0.2mm
Dimensional Stability	ISO 23999 (EN 434)	≤0.40%
Flexibility	ISO 24344 (EN 435)	(Method A) / Pass 20mm Ø
Underfloor Heating Thermal Resistance	EN 12667	Suitable, max 27°C 0.0542m ² K/W 0.542 Tog
Static Electrical Propensity	EN 1815	≤2.0kV Classified as 'antistatic'
Light Fastness	ISO 105-B02	(Method 3) ≥6
Castor Chair (continuous use)	ISO 4918 (EN 425)	Suitable
Furniture Leg	ISO 16581 (EN 424)	Conforms
VOC Emissions	Indoor Air Comfort GOLD FloorScore	Eurofins certified product Certified
PUR – Polyurethane Reinforcement		✓
Environmentally Preferable Flooring		100% recyclable BRE Global A+ rating (Generic)
Responsible Sourcing	BES 6001	-
Guarantee		20 years

For information regarding handling and installation, adhesives, maintenance, applications, chemical resistance and product warranty, consult **Polyflor Customer Technical Services on +44 (0)161 767 1912, or email tech@polyflor.com**.

*For safety flooring with sustainable wet slip resistance, refer to Polysafe ranges.

The data presented is correct at the time of printing. For latest information, please visit our website polyflor.com.

Secura	Designatex
3.0mm	3.0mm
0.35mm	0.3mm
Can be loose laid in areas up to 20m ²	Can be loose laid in areas up to 20m ²
4m x 20-25m 3m x 20-25m 2m x 20-25m	4m x 20-25m 3m x 20-25m 2m x 20-25m
1780g/m ²	1700g/m ²
Conforms	Conforms
	
≥19dB	≥17dB
Good	Good
Class Bfl-S1	Class Bfl-S1
Group T	Group T
Class DS (dry condition) R10	Class DS (dry condition) R10
≤0.2mm	≤0.35mm
≤0.40%	≤0.40%
(Method A) / Pass 20mm Ø	(Method A) / Pass 20mm Ø
Suitable, max 27°C 0.0525m ² K/W 0.525 Tog	Suitable, max 27°C 0.0541m ² K/W 0.541 Tog
≤2.0kV Classified as 'antistatic'	≤2.0kV Classified as 'antistatic'
(Method 3) ≥6	(Method 3) ≥6
Suitable	Suitable
Conforms	Conforms
Eurofins certified product Certified	Eurofins certified product Certified
✓	✓
100% recyclable BRE Global A+ rating (ENP 415)	100% recyclable BRE Global A+ rating (ENP 415)
Excellent	Excellent
20 years	15 years



SUSTAINABILITY

Polyflor has demonstrated a high level of commitment over the years to producing high-quality floor coverings. We have minimised our impact on the environment, without compromising performance benefits of our products. Polyflor continually works on developing new products and technologies, and constantly evaluates production methods to further minimise our impact on the environment. For further details on Polyflor's achievements in areas such as recycling, energy reduction and waste avoidance visit: polyflor.com/sustainability

GUARANTEE

Our collections of luxury vinyl sheet flooring have been developed to meet the highest technical specification of its type. Ideal for all areas of the home, the products ensure high performance and optimum style. The ranges are also suitable for moderate commercial applications such as light traffic areas within hotels, conference rooms and small offices. Compared with many natural flooring options, Polyflor luxury vinyl sheet will under normal conditions resist household stains, will not crack, chip or splinter. All products purchased from the range are guaranteed in domestic home installations against normal wear and tear in the recommended environment, provided that they have been fitted correctly and maintained in accordance with the manufacturer's instructions. In order to make a claim, customers must apply in writing indicating where the flooring was purchased and provide satisfactory proof of purchase. This guarantee only applies in the event of visible wearing out of the decorative pattern on the surface, providing the flooring has been subject to normal usage in the recommended environment. It does not cover general misuse. Full terms and conditions of the guarantee are available on request from your flooring wholesaler or Polyflor Ltd.

TRY OUR ROOM VISUALISER

Picture your new floor instantly using the Polyflor Room Visualiser. Simply take a photo of the area you are renovating and select your new floor at the touch of a button.

Visualise any of the luxury vinyl sheet ranges now, visit polyflor.com/visualiser



PICTURE IT INSTANTLY

ORDER SAMPLES

To request free individual product samples of any design within the collections, visit polyflor.com and follow the link to Samples and Literature.

Alternatively, call the dedicated Polyflor Samples Hotline:



FREE Sample Service

+44 (0)161 767 2551

POLYFLOR™ INTERNATIONAL

Australia

Polyflor Australia
Tel: 1800 777 425
E-mail: sales@polyflor.com.au

Canada

Polyflor Canada Inc.
Tel: +1 905 364 3000
E-mail: sales@polyflor.ca

China

Polyflor Hong Kong O/B Polyflor Ltd.
Tel: +(852) 2865 0101
E-mail: info@polyflor.com.hk

Colombia

Polyflor Ltd. (LATAM Office)
Tel: +57 3223082375
E-mail: info@polyflor.com

France

James Halstead France SAS
Tel: +33 (0)8 20 20 32 11
E-mail: info@jhfrance.fr

Germany

objectflor Art und Design Belags GmbH
Tel: +49 (0) 2236 966 330
E-mail: info@objectflor.de

India

Polyflor India Pvt Ltd.
Tel: +91 22 4023 2485
E-mail: info@polyflor.co.in

Ireland

Polyflor Ireland
Tel: +353 (1) 864 9304
E-mail: salesireland@polyflor.com

Malaysia

Polyflor Martex
Tel: 1300 80 7788
E-mail: sales@polyflor.com.my

Middle East

Polyflor FZE
Tel: +971 50 406 8114
E-mail: aelwakil@polyflorfze.ae

New Zealand

Polyflor New Zealand Ltd.
Tel: 0800 765 935
Tel: +64 9 269 1111
E-mail: sales@polyflor.co.nz

Norway

Polyflor Nordic
Tel: +47 23 00 84 00
E-mail: firmapost@polyflor.no

Poland

Polflor Sp. Z.o.o
Tel: +48 (0) 61 820 3155
E-mail: polyflor@polflor.com.pl

South Africa

Poly Sales Africa (Pty.) Ltd.
Tel: +27 (0) 11 609 3500
E-mail: info@polyflor.co.za

Sweden

FalckDesign AB
Tel: +46 (0) 300 15820
E-mail: info@falckdesign.com

POLYFLOR™ UK

Polyflor Ltd. PO Box 3, Radcliffe New Road,
Whitefield, Manchester, M45 7NR

Tel: +44 (0) 161 767 1111
E-mail: info@polyflor.com

www.polyflor.com

James Halstead[™]
FLOORING