

RECOMMENDED & APPROVED ADHESIVES - FLOORING & WALL PROTECTION (28 JANUARY 2025)



	Den Braven (011) 792 3830	Mapei (011) 552 8476	Pekay (011) 309 1500	Qualichem (011) 226 0300	Tal (011) 206 9700	Techem	UZIN
PALETTONE; PEARLAZZO; PRESTIGE; CLASSIC MYSTIQUE; 2000 PUR; XL PU; STANDARD XL; POLYFLEX PLUS PU							
Horizontal Bond		Ultrabond Eco V4 SP Ultrabond 333	WD90	QAR 298/QAR 398	Profix Plus	008	
Horizontal Bond High Temperature/Extreme Conditions		Adesilex G19					
Vertical Bond		Ultrabond Eco Contact Ultrabond 333		BAN 523		005	
COVING OF HOMOGENEOUS SHEETING							
Vertical Bond			V435	BAN 523		005	
POLYSAFE VERONA; ASTRAL; VOGUE ULTRA; STANDARD; WOOD fx; STONE fx PUR; ULTIMA; APEX							
Horizontal Bond		Ultrabond Eco V4 SP Ultrabond 333		QAR 298/QAR 398		008	
Horizontal Bond High Temperature/Extreme Conditions		Adesilex G19					
Vertical Bond		Ultrabond Eco Contact Ultrabond 333		QAN 439M + BAN 523			
POLYSAFE HYDRO; HYDRO EVOLVE; QUATTRO PUR							
Horizontal Bond		Adesilex G19 Ultrabond 333 Ultrabond Eco V4 SP**		QAR 298/QAR 398		008	
Vertical Bond		Ultrabond Eco Contact** Ultrabond 333		QAN 439M + BAN 523			
Shower Area				QAN 439M + BAN 523			
COVING OF SAFETY SHEETING - FLOORS & SHOWERS							
Vertical Bond				QAN 439M + BAN 523			
EXPONA DESIGN; EXPONA COMMERCIAL; EXPONA CONTROL; EXPONA BEVEL LINE; CAMARO; AFFINITY 2 ⁵⁵ PUR							
Horizontal Bond		Ultrabond 4LVT		QAN 179		7070	

Horizontal Bond High Temperature		Adesilex G19 Ultrabond 571 2K					
BLOC PUR							
Horizontal Bond		Ultrabond Eco V4 SP*		QAR 298/QAR 398		008	
High Temperature/Extreme Conditions		Adesilex G19 Ultrabond 571 2K					
Vertical Bond		Ultrabond Eco Contact*		QAN 439M + BAN 523			
EXPONA FLOW; FOREST fx PUR							
Horizontal Bond		Ultrabond Eco V4 SP Ultrabond Eco 4 LVT		QAR 298/QAR 398		008	
High Temperature/Extreme Conditions		Adesilex G19 Ultrabond 571 2K ECO VS90+					
Vertical Bond		Ultrabond Eco Contact		QAN 439M + BAN 523			
COVING OF HETEROGENEOUS SHEETING							
Vertical Bond				QAN 439M + BAN 523			

ACOUSTIX FOREST fx; POLYSAFE WOOD fx ACOUSTIX; SECURA; SILENTFLOR PUR							
Horizontal Bond		Ultrabond V4 SP Ultrabond Eco 4 LVT		QAR 298/QAR 398		008	
Horizontal Bond High Temperature/Extreme Conditions		Adesilex G19 Ultrabond 571 2K ECO VS90+					
Vertical Bond		Ultrabond Eco Contact		QAN 439M + BAN 523			
ACOUSTIFOAM							
Foam to Floor (Horizontal)		Ultrabond 333 Ultrabond 571 2K		QAR 298/QAR 398		008	
Sheet Vinyl to Foam		Ultrabond Eco V4 SP		QAR 298/QAR 398		008	
Forest FX to Foam		Adesilex G19 Ultrabond 571 2K Ultrabond 333		QAR 298/QAR 398		008	

PALETTONE SD; POLYFLOR SD; FINESSE SD							
Horizontal Bond		Ultrabond V4 SP Conductive Ultrabond 571 2K	V443AS/WD92	QAR 273A			
High Temperature/Extreme Conditions		G19 COND (POA)					
Vertical Bond		N/A		QAN 459A			
POLYFLOR CONDUCTIVE ROF							
Horizontal Bond							UZIN KR 421 Polyurethane Conductive Adhesive
POLYFLOR OHMEGA EC; POLYFLOR EC							
Horizontal Bond		Ultrabond Eco V4 SP Conductive (POA)		QAR 273A			
High Temperature/Extreme Conditions		G19 COND (POA)					
Vertical Bond		N/A		QAN 459A			
POLYFLOR SPORT 67							
Horizontal Bond		Ultrabond Eco V4 SP		QAR 298/QAR 398		008	
Horizontal Bond High Temperature/Extreme Conditions		Adesilex G19 Ultrabond 571 2K					

SAARFLOR NOPPE STUD TILE							
Horizontal Bond		Adesilex G19 Ultrabond 571 2K	V435/V440	BAN 523			
Horizontal Bond High Temperature/Extreme Conditions		Adesilex G19 Ultrabond 571 2K					
Vertical Bond		Ultrabond Eco Contact		BAN 523		005	
POLYCLAD PRO PU							
Vertical Bond		Ultrabond Eco Contact. Ultrabond 571 2K	V435	BAN 523		005	

Non-flammable			V440/V443/V446	QAN 409A/QAN420A			
POLYCLAD PLUS PU							
Vertical Bond		Ultrabond 571 2K Ultrabond Eco V4 SP*	V435	BAN 523		005	
Non-flammable			V440/V443/V446	QAN 409A/QAN420A			
EXTRUSIONS							
Vertical Bond		Ultrabond Eco Contact	V435/V440	BAN 523		005	
(as per EN13501-1)				QAN 409A/QAN420A			
WALL PROTECTION (SUREPROTECT DESIGN/ENDURE/PURE WALL CLADDING; KICKPLATES/RUBRAILS; WST150/WST200 WALL STRIPS)							
Vertical Bond	High Tack	Ultrabond Eco Contact	V435/V440	BAN 523		005	
				QAN 409A/QAN420A			

* Both adhesive & sheet must be rolled

Polysales provides this information only as guidance, and the legal responsibility for the supply and performance of the above adhesives shall remain the sole responsibility of the relevant manufacturer.

By providing this information, Polysales does not imply any equivalence between each of the different manufacturer's products, or that other products would prove unsatisfactory. When more than one adhesive is listed, selection should be based upon suitability to the installation environment. Application of the named adhesives must be actioned in strict accordance with the relevant manufacturer's instructions, which may include the application of a primer in certain situations. Site conditions must be as described under SANS 10070:2012.

For information regarding handling and installation and maintenance, consult Polysales on +27 11 609 3500 or email marketing@polysales.com